

CAN/BNQ 1784-000/2022

**Canadian Hydrogen Installation Code** 







# CAN/BNQ 1784-000/2022

# Canadian Hydrogen Installation Code

Code canadien d'installation de l'hydrogène



#### Bureau de normalisation du Québec

The Bureau de normalisation du Québec (BNQ) is a standardization organization based in Quebec and created in 1961. It is one of the standards development organizations accredited by the Standards Council of Canada (SCC) and as such, is part of the National Standards System.

As an administrative unit of Investissement Québec (IQ), the BNQ produces standards that meet the needs of the industry, of public and para-public organizations, and of concerned groups.

The Bureau de normalisation du Québec devotes its activities to the production of standards that meet the needs of the industry, public, and para-public organizations, as well as concerned groups; it is also responsible for the certification of products, processes, and services from the standards it has developed by affixing its own mark of conformity when it is appropriate. Lastly, the BNQ offers an information service to manufacturers wishing to comply with the standards for the manufacture and export of various products and the delivery of services with respect to the standards both in Quebec, as well as national and international standards.

#### **National Standard of Canada**

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC)-accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at <a href="https://www.scc.ca">www.scc.ca</a>.

## SECOND EDITION — 2022-05-31

This new edition supersedes the edition dated January 25, 2007.

The decision resulting from the systematic review that will enable to determine whether the current document shall be modified, revised, reaffirmed or withdrawn will be implemented no later than at the end of May 2027.

**ICS**: 23.020.30, 23.040.01, 23.060.01, 27.075, 71.100.20, 91.140.99.

#### **REQUEST FOR INFORMATION AND PURCHASE**

Any request for information or purchase of this document may be sent to the Bureau de normalisation du Québec (BNQ) at:

333, rue Franquet, Québec, Québec G1P 4C7

Telephone: 418-652-2238, ext. 2437 or 1-800-386-5114; fax: 418-652-2292

Email: <a href="mailto:bnqinfo@bnq.qc.ca">bnqinfo@bnq.qc.ca</a>; website: <a href="mailto:www.bnq.qc.ca">www.bnq.qc.ca</a>

#### **REVISION OF BNQ DOCUMENTS**

Collaboration from BNQ document users is essential in keeping our documents up to date. Therefore, any suggestion aimed at improving their contents will be appreciated. We ask you to send us your suggestions or comments on the form at the end of this document.

The electronic or printed version of this document is for personal use only. Distribution to third parties, partners or clients, as well as saving, distribution or use on a computer network is forbidden without written agreement from the BNQ.

Only purchasers duly registered with BNQ Customer Service will receive document updates. Notifications and the catalogue may be consulted at all times on the BNQ's website <a href="www.bnq.qc.ca">www.bnq.qc.ca</a> to verify if a more recent version of a document exists or if amendments or errata have been published.

If a registered purchaser wishes to continue to receive updates, the purchaser must inform BNQ Customer Service of any change of address as soon as possible.

This document is the result of thousands of hours of work provided on a voluntary basis by many community experts. We thank you for taking this into account, and for your contribution through your purchase of this document for its evolution in the years to come.

© BNQ, 2022

All rights reserved. Unless otherwise specified, no part of this document may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilming, without written permission from the BNQ.

#### **NOTICE**

#### UNDERSTANDING OF THE NOTION OF EDITION

It is important to note that this edition implicitly includes all amendments and errata that might be published separately at a later date. It is the responsibility of the users of this document to verify whether any amendments or errata exist.

#### INTERPRETATION

The verb **shall** is used to express a requirement (mandatory) in order to comply with this document.

The verb **should**, or the equivalent expressions **it is recommended that** and **ought to**, is used to indicate a useful, but not mandatory, suggestion or to indicate the most appropriate means of complying with this document.

Except for notes presented as **normative notes**, which set out mandatory requirements and which appear in the lower portion of figures and tables only, all other **notes** are **informative** (non-mandatory) and provide useful information intended to facilitate understanding or clarify the intent of a requirement or to add clarification or further details.

Normative annexes provide additional requirements (mandatory) in order to comply with this document.

**Informative annexes** provide additional (non-mandatory) information intended to assist in the understanding or use of elements of this document or to clarify its implementation. They contain no mandatory requirements for the purpose of compliance with this document.

#### **DISCLAIMER OF RESPONSIBILITY**

This document was developed as a reference document for voluntary use. It is the user's responsibility to verify whether the application of this document is mandatory under the applicable legislation or regulations or whether trade regulations or market conditions stipulate its use in, for example, technical regulations, inspection plans originating from regulatory authorities and certification programs. It is also the responsibility of the users to consider limitations and restrictions specified in the Purpose and Scope and to judge the suitability of this document for the user's purposes.

#### MARKING AND LABELLING REQUIREMENTS

This document may contain requirements for marking and/or labelling. In this event, in addition to meeting such requirements, it is also the responsibility of the suppliers of products to comply with the applicable national, provincial or territorial laws and regulations of the jurisdictions in which the products are distributed.



### **FOREWORD**

This document was developed in compliance with the Standards Council of Canada (SCC)'s Requirements and Guidance for standards development organizations and approved as a National Standard of Canada by the SCC. Its publication was approved by a Standards Development Committee, whose members were:

#### **Suppliers**

BEAUBIEN, Pierre Air Liquide Canada

HAUCH, Garth Linde Canada

QUINLAN, Liam Powertech Labs

SCHMIDT, Gerhard Hydrogen Technology & Energy Corporation

(HTEC)

SKINNER, George Ballard Power Systems

STEMP, Michael Next Hydrogen

VALE, Michael Cummins

### **Regulatory and Government**

HOSKIN, Aaron CanmetENERGY, Natural Resources Canada

LEBLANC, Gilles CanmetMINING, Natural Resources Canada

MILLIGAN, Ryan Technical Safety BC

RENAUD, Jacques Régie du bâtiment du Québec (RBQ)

YU, Robin Technical Standards and Safety Authority (TSSA)

**General Interest** 

BÉNARD, Pierre Institut de recherche sur l'hydrogène

BÉTOURNAY, Marc Mine Hydrogen Projects



BONIFACE, Hugh Canadian Nuclear Laboratories

CLOUTIER, Jean-Noël Laboratoire des technologies de l'énergie,

Institut de recherche d'Hydro-Québec (IREQ)

DAY, Shane CleanFuel Systems

QUONG, Spencer Toyota Canada

ROY, Rajan McGill University

TCHOUVELEV, Andrei V. (Chair)

A. V. Tchouvelev & Associates

WEBSTER, Craig TesTneT Canada

Coordination

MORIN, Alexandre (Standards Developer)

Bureau de normalisation du Québec (BNQ)

**Linguistic Review** 

TREMBLAY, Carole (Editor)

Bureau de normalisation du Québec (BNQ)

The collaboration or the participation of the following people is also worthy of mention:

ALLAN, Sean TesTneT Canada

ANGERS, Benjamin Institut de recherche sur l'hydrogène

BOURRET, Richard Air Liquide Canada

FERRERO, Jim A. V. Tchouvelev & Associates

FRACZKOWSKI, Zenon Technical Standards and Safety Authority (TSSA)

GARDNER, Lee Canadian Nuclear Laboratories

GILLIS, Brigid Technical Standards and Safety Authority (TSSA)

HOLLETT, Mark

Ballard Power Systems

KLETT, Erik Powertech Labs

LACKEY, Jessica Technical Safety BC



LAFONTAINE, Jonathan<sup>1</sup> Bureau de normalisation du Québec (BNQ)

MARXEN, Sara CSA Group

MURPHY, Mark Cummins

WALTERS, Ross Linde Canada

WONG, Joe TesTneT Canada

The development of this document was made possible thanks to the financial support of the Ministère de l'Énergie et des Ressources naturelles du Québec.

<sup>1</sup> At the time of publication of this document, the aforementioned person no longer worked for the Bureau de normalisation du Québec (BNQ).



## **CONTENTS**

			Page
1	PURPO	SE AND SCOPE	1
2	NORM	ATIVE REFERENCES	1
	2.1 2.2 2.3	GENERAL DOCUMENTS FROM STANDARDS BODIES GOVERNMENT DOCUMENTS	1 2 6
3	DEFINI	TIONS	7
4	GENER	AL INSTALLATION REQUIREMENTS	15
	4.1 4.2 4.3	RESPONSIBILITIES OF THE INSTALLER AND SUPPLIERS OF EQUIPMENT AND SYSTEMS INSTALLER QUALIFICATIONS, AND OPERATOR TRAINING AND RESPONSIBILITIES SAFETY CONSIDERATIONS	15 15 16
_			20
5	5.1 5.2 5.3 5.4 5.5	HYDROGEN EQUIPMENT TO BE INSTALLED SUITABILITY FOR USE ACCESSIBILITY TO HYDROGEN EQUIPMENT PROTECTION OF HYDROGEN EQUIPMENT FROM PHYSICAL DAMAGE PROTECTION FROM UNAUTHORIZED ACCESS	20 20 20 21 21 22
6	ELECTR	RICAL REQUIREMENTS	22
	6.1 6.2 6.3 6.4	ELECTRICAL EQUIPMENT AREA CLASSIFICATION EMERGENCY SHUTDOWN (ESD) SYSTEM GROUNDING AND BONDING	22 22 23 24
7	GASEO	US HYDROGEN INSTALLATIONS	24
	7.1 7.2 7.3 7.4 7.5 7.6	GASEOUS HYDROGEN-GENERATING EQUIPMENT HYDROGEN UTILIZATION EQUIPMENT MAXIMUM ALLOWABLE WORKING PRESSURE (MAWP) GASEOUS HYDROGEN PIPING SYSTEM COMPONENTS FLOW CONTROL MECHANISMS OVERPRESSURE PROTECTION AND HYDROGEN VENT SYSTEMS	24 25 25 25 27 28
	7.7	COMPRESSORS AND COMPRESSOR PACKAGES	29



	7.8	STORAGE CONTAINERS	31
	7.9	HYDROGEN FUELLING STATIONS AND DISPENSING EQUIPMENT	33
	7.10	LOCATION	38
	7.11	SPECIFIC REQUIREMENTS APPLICABLE TO OUTDOOR INSTALLATIONS	
		INCLUDING CLEARANCE DISTANCES	38
	7.12	SPECIFIC REQUIREMENTS APPLICABLE TO INDOOR INSTALLATIONS	
		INCLUDING CLEARANCE DISTANCES	43
	7.13	GASEOUS HYDROGEN INSTALLATION INSPECTION AND TESTING	56
	7.14	GASEOUS HYDROGEN INSTALLATION COMMISSIONING	57
	7.15	GASEOUS HYDROGEN INSTALLATION OPERATION	58
	7.16	MAINTENANCE	59
8	LIQUID	HYDROGEN INSTALLATIONS	60
	8.1	APPLICABILITY	60
	8.2	STORAGE CONTAINERS	60
	8.3	LIQUID HYDROGEN PIPING SYSTEM COMPONENTS	62
	8.4	FLOW CONTROL MECHANISM	62
	8.5	OVERPRESSURE PROTECTION AND VENT SYSTEMS	63
	8.6	LIQUID HYDROGEN VAPORIZERS	64
	8.7	LOCATION	64
	8.8	CLEARANCE DISTANCES	64
	8.9	PROTECTION	65
	8.10	MARKING AND WARNINGS	66
	8.11	LIQUID HYDROGEN INSTALLATION INSPECTION AND TESTING	66
	8.12	LIQUID HYDROGEN INSTALLATION COMMISSIONING	66
	8.13	LIQUID HYDROGEN INSTALLATION OPERATION	68
	8.14	MAINTENANCE	68
9	RESIDE	NTIAL INSTALLATIONS	68
	9.1	APPLICABILITY	68
	9.2	INDOOR RESIDENTIAL INSTALLATIONS	69
	9.3	OUTDOOR INSTALLATIONS	70
	9.4	STORAGE	70
	9.5	RESIDENTIAL HYDROGEN-GENERATING EQUIPMENT	70
10	PORTA	BLE EQUIPMENT	72
	10.1	APPLICABILITY	72
	10.2	PORTABLE HYDROGEN UTILIZATION EQUIPMENT	72
	10.3	HYDROGEN STORAGE CONTAINERS — LIMITATIONS FOR INDOOR	
		STORAGE AND USE	72
TABLE	1 —	LOCATION OF GASEOUS HYDROGEN SYSTEMS	73
TABLE :	2 —	MINIMUM CLEARANCE DISTANCE FROM OUTDOOR GASEOUS	
		HYDROGEN STORAGE SYSTEMS TO EXTERNAL EXPOSURES	74



TABLE 3 —	MINIMUM CLEARANCE DISTANCES FROM INDOOR GASEOUS HYDROGEN SYSTEMS OF LESS THAN MAQ TO NONCOMBUSTIBLE	
	MATERIALS	76
TABLE 4 —	MANDATORY MAINTENANCE ITEMS	77
TABLE 5 —	MINIMUM CLEARANCE DISTANCE FROM LIQUID HYDROGEN SYSTEMS TO EXPOSURES	78
FIGURE 1 —	PRESSURE-RELIEF VALVE AND RUPTURE DISK ASSEMBLY FOR INNER VESSELS OF THE LIQUID HYDROGEN STORAGE CONTAINERS	80
ANNEX A —	RISK ASSESSMENT AND PUBLIC SAFETY	81
TABLE A.1 -	<ul> <li>INFORMATION ON RECOMMENDED RISK ASSESSMENT ELEMENTS</li> </ul>	82
ANNEX B —	INFORMATIVE REFERENCES	83
ANNEX C —	BIBLIOGRAPHY	85



## **CANADIAN HYDROGEN INSTALLATION CODE**

#### 1 PURPOSE AND SCOPE

The purpose of this code is to establish the installation requirements for hydrogen-generating equipment for non-process end use, hydrogen utilization equipment, hydrogen-dispensing equipment, hydrogen storage containers, hydrogen piping systems, and their related accessories.

It applies to all gaseous and liquid hydrogen applications except the following:

- a) hydrogen production or use in petroleum refineries and chemical plants as feedstock and directly in-process production;
- b) industrial facilities where hydrogen is produced, handled and stored for off-site end use;
- c) industrial installations producing hydrogen as a by-product that is vented to atmosphere;
- d) cryogenic systems used for hydrogen liquefaction;
- e) hydrogen installations on board vehicles for onboard use;
- f) vehicles that use hydrogen for propulsion;
- g) hydrogen transportation, including hydrogen utility pipeline distribution and transmission pipelines.

#### 2 NORMATIVE REFERENCES

#### 2.1 GENERAL

The references below (including any amendment or errata) are normative references, and are therefore considered mandatory. They are essential to the understanding and use of this document, and are cited in appropriate places in the text.